



No. 3357-77US KPM/ch

Montreal, Canada  
November 3, 1992

IN THE UNITED STATES PATENT AND TRADEMARKS OFFICE


In re Application of

Xuan Truong Nguyen

For: RECYCLING WASTE CELLULOSIC  
MATERIAL WITH SODIUM  
SULPHIDE DIGESTION

Patent No.: 5,147,503

Issue Date: September 15, 1992



The Commissioner of Patents  
and Trademarks  
Washington, D.C. 20231  
U.S.A.

APPROVED

JUN 22 1994

FOR THE COMMISSIONER OF PAT. & T.M.

*Mary H. Green*

Sir:

In accordance with the provisions of 37 CFR 1.322 and 1.323 of the Rules of Practice, the Patent and Trademark Office is respectfully requested to issue a Certificate of Correction in the Patent and Trademark Office as shown in the attached Form PTO 1050.

The purpose of the Certificate is to correct typographical and printing errors.

An error in the spelling of "unit", at column 4, line 58, has been corrected.

An omission at column 7, line 64, in the alkalis charge has been inserted. This value appears at page 16, line 4 of the specification of the filed application.

A typographical error in the designation of the bleaching sequence in example 12, column 8, line 64, has been corrected by substituting ... E ... for "e". The correct sequence is shown at column 8, line 63.

040 FT 11/16/92 5147503	2 145	100.00 CK
040 FT 11/16/92 5147503	2 585	100.00 CK

The Commissioner of Patents and Trademarks

An error in the reference to the second chlorine dioxide stage "D" at column 8, line 67, has been corrected by substituting ... D2 ... for "S2".

The words "at least" in claim 1 are redundant in view of the Examiner's amendment made prior to allowance of the application. The claim previously read "containing at least one of sodium sulfide and anthraquinone". The claim was amended to delete the reference to anthraquinone, and at that time the Examiner also removed the language "one of" but the language "at least" was inadvertently maintained.

All of these changes are believed to be of an obvious nature and clear in context.

The first two errors are printing errors and are the responsibility of the Patent and Trademark Office, the second two are the result of typographical errors in the specification as filed. A cheque in payment of the Government fee is attached. Any additional charges should be charged to Deposit Account No. 19-5113.

It is believed to be in order for the Patent and Trademark Office to issue a Certificate of Correction, and to place such a Certificate of Correction in the file so that such will appear on any of the copies of the patent which are ordered in the future.

Two copies of Form PTO 1050 embodying the requested corrections accompany this letter.

The Commissioner of Patents and Trademarks

It is requested that the Certificate of Correction  
be forwarded directly to the undersigned Agent at

Kevin P. Murphy  
SWABEY OGILVY RENAULT  
Suite 800  
1001, Boul. de Maisonneuve West  
Montreal, Quebec, Canada  
H3A 3C8

Respectfully,



Agent of Record  
Kevin P. Murphy  
Reg. No. 26674  
Tel.No. 514)845-7126

Enc.

Staple  
Here  
Only

PRINTER'S TRIM LINE

UNITED STATES PATENT AND TRADEMARK OFFICE  
CERTIFICATE OF CORRECTION

PATENT NO. : 5,147,503  
DATED : September 15, 1992  
INVENTOR(S) : Xuan T. Nguyen

It is certified that error appears in the above-identified patent and that said Letters Patent are hereby corrected as shown below:

At column 4, line 58, delete "unir" and insert therefor  
... unit ... . *A*

At column 7, line 64, after "alkalis charge of" insert  
... 8% .... *P*

At column 8, line 64, delete "D/CeOD" and insert therefor  
... D/CEOD ... . *A*

At column 8, line 67, delete "S2" and insert therefor  
... D2 ... . *A*

At column 10, line 6, delete "at least".

*"AMT"*  
*B*

*A*